

We MERSEN USA EP Corp.
374 Merrimac Street Newburyport, MA 01950 USA

Certify that products with the registered trade mark Mersen Ferraz Shawmut

Product type Low Voltage UL/CSA Fuses
Class RK1

Model Series Line A2D-R - Class RK1 - Time-Delay

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided below is based on data obtained through ongoing due diligence with our suppliers. In some cases, the information may not yet represent full coverage of our supply chain. Mersen reserves the right to update or amend this declaration as additional data becomes available, or verification processes are completed.

This declaration is not an EU or UKCA declaration of conformity, Mersen USA EP Corp. is providing RoHS conformity to all product ranges even if they are out of the scope of the directive with the same level of compliance on substances restrictions and corresponding exemptions.

Date / Location : 23.03.2026 / Newburyport

Name : Tim KAPPEN

Position / Signature :

Sr. Manager Quality
For the president and by delegation

COMP-015770

Catalog number list

Item number	ROHS exemption
A2D75R	6(c) - Copper alloy containing up to 4% lead by weight
A2D70R	6(c) - Copper alloy containing up to 4% lead by weight
A2D80R	6(c) - Copper alloy containing up to 4% lead by weight
A2D90R	6(c) - Copper alloy containing up to 4% lead by weight
A2D100R	6(c) - Copper alloy containing up to 4% lead by weight
A2D70RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D75RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D80RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D90RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D100RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D8R	
A2D9R	
A2D10R	
A2D12R	
A2D15R	6(c) - Copper alloy containing up to 4% lead by weight
A2D17-1/2R	6(c) - Copper alloy containing up to 4% lead by weight
A2D20R	6(c) - Copper alloy containing up to 4% lead by weight
A2D25R	6(c) - Copper alloy containing up to 4% lead by weight
A2D30R	
A2D10RN	
A2D12RN	
A2D15RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D17-1/2RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D25RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D8RN	
A2D9RN	
A2D20RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D30RN	6(c) - Copper alloy containing up to 4% lead by weight
A2D1/10R	
A2D15/100R	
A2D2/10R	

COMP-015770

A2D4/10R	
A2D1-1/8R	
A2D1-1/4R	
A2D1-4/10R	
A2D2-1/4R	
A2D3/10R	
A2D1/2R	
A2D6/10R	
A2D8/10R	
A2D1R	
A2D1-6/10R	
A2D1-8/10R	
A2D2R	
A2D2-1/2R	
A2D2-8/10R	
A2D3R	
A2D3-2/10R	
A2D3-1/2R	
A2D4R	
A2D4-1/2R	
A2D5R	
A2D5-6/10R	
A2D6R	
A2D6-1/4R	
A2D7R	
A2D225R	
A2D250R	
A2D300R	
A2D350R	
A2D400R	
A2D350RN	
A2D400RN	
A2D225RN	
A2D250RN	
A2D300RN	
A2D35R	
A2D40R	
A2D45R	
A2D50R	
A2D60R	
A2D450R	
A2D500R	
A2D600R	
A2D450RN	
A2D500RN	
A2D600RN	
A2D35RN	
A2D40RN	
A2D45RN	

A2D50RN	
A2D60RN	